



290

Internal long-term antistatic agent

Supplied in shape of:

Mixture, pellet.

Active agent:

Internal long-term antistatic agent.

Area of use:

HECO®STAT 290 is suitable for processing thermoplastics and polar plastics such as PVC and styrenics.

Recommended dose:

HECO®STAT 290 is added in the range of 1.0 - 3.0 % depending on the desired properties.

Properties:

HECO®STAT 290 provides highly effective antistatic properties for thermoplastic polymers. It shows an excellent efficiency and a long lasting antistatic effect.

Pallet size:

500.0 kg (20 sacks at 25.0 kg) / pallet, net.

Safety Precautions

Foodstuff regulations:

Approval according to EU (VO) No. 10/2011. Specific migration value: 6 mg/kg food (10 mg/dm2). Approval according to the US FDA, see "Food Contact Approvals".

Storage

No reduction in quality has been reported when properly stored under normal room conditions up to twelve (12) months. The opened bags of the raw material **HECO**®STAT 290 must be closed airtight if they are not used up completely, as the product reacts strongly hygroscopically.

Handling:

The precautions and hygienic measures usual in the handling of any chemical product should be observed.

In case of fire:

In case of fire, suitable extinguishers are aqueous spray, foam or dry chemical; a full jet of water and ${\sf CO2}$ are unsuitable.

 $\textbf{HECOPLAST}^{\circledR}$ and $\textbf{HECO}^{\circledR}$ are registered trademarks

Our information is based on the most careful analysis, nevertheless these are not guaranteed product features. Specific field tests are being recommended under any circumstance.